Contents

....

- 1 1 1 2 3 3 ·

120

4 - 4 - - -

Letters to the Editor	
3 and 1.3 mm-observations of a complete sample of active galactic nuclei Chini, R., Steppe, H., Kreysa, E., Krichbaum, Th.,	
Quirrenbach, A., Schalinski, C., Witzel, A.	L1
Double mode pulsating stars and opacity changes Andreasen, G.K., Petersen, J.O.	L4
The observed background solar velocity noise Jiménez, A., Pallé, P.L., Péréz Hernández, F., Régulo, C., Roca Cortés, T.	L.7
Discovery of a 9.5-year period in the symbiotic star V 1016 Cyg Nussbaumer, H., Schmid, H.M.	L10
The IRAS $60/100\mu m$ brightness ratio in interstellar clouds	
Laureijs, R.J., Chlewicki, G., Clark, F.O. Cold CO in Mergers: ¹² CO(1–0) and ¹² CO(2–1) mapping of NGC 2623 and ARP 220	L13
Casoli, F., Combes, F., Dupraz, C., Gerin, M., Encrenaz, P., Salez, M.	L17
smology	

-cm observations of LBDS radio sources. Radio proper-	
ies of blue radio galaxies Oort, M.J.A.	42
Structural changes in the nucleus of the double radio	72
alaxy 3C 390.3 Alef, W., Götz, M.M.A., Preuss, E., Kellermann, K.I.	53
On the progenitors of type II supernovae in M 83	
Rosa, M., Richter, OG.	57
The axisymmetric spiral magnetic field in the galaxy IC	
Gräve, R., Beck, R.	66
SC 2059-247: no evidence for cluster evolution or extreme K-ray properties	
Kaastra, J.S., de Korte, P.A.J.	77
The active centre of the galaxy merger ESO 148-IG 02. II Johansson, L., Bergvall, N.	81
Contribution of Fe $\scriptstyle\rm II$ to the asymmetry of H β in active galactic nuclei	05
Joly, M.	87
Prediction of absorption line statistics for a network of quasars behind the Virgo cluster	
Davies, J.I., Disney, M.J., Phillipps, S.	90
(RN) Morphological segregation between spiral members	
of groups of galaxies Giuricin, G., Mardirossian, F., Mezzetti, M.,	
r mi 4. Remella, M.	95
cluster spectra on the nature	
	98
mics	
ss of the halo and visible matter	
as on the neutrino mass	
ıi, R.	107
listribution of light and mass in	
	117
ad evolution of stars	
n light	
7.	128
ten years of photometry of the long- y σ Geminorum	
, Hall, D.S., Eaton, J.A.,	
ksdale, W.S., Reisenweber, R.C.,	
rnandes, M., Zeigler, K.W.,	
'asson, R., Nielsen, P., Louth, H.,	

., Fortier, G., Grim, B.S., Turner, L.C.,

auson, D.M., Fried, R.E.,

Brettman, O.H., Engelbrektson, S., Krisciunas, K., Miles, R.	135
The recurrence behaviour of X-ray bursts from $4U/MXB$ 1735–44	
van Paradijs, J., Penninx, W., Lewin, W.H.G., Sztajno, M., Truemper, J.	147
The structure of the molecular outflow near SSV 13 and HH 7-11 in the NGC 1333 region	153
Liseau, R., Sandell, G., Knee, L.B.G.	133
Accretion disk coronae and the contribution to angular- momentum transport in the disk <i>Burm, H., Kuperus, M.</i>	165
The mass-loss rates of Wolf-Rayet stars Doom, C.	170
The surface temperature of C/O-rich Wolf-Rayet stars	
Langer, N., Kiriakidis, M., El Eid, M.F., Fricke, K.J., Weiss, A.	17
The far-infrared (IRAS) excess in luminous F-G stars Pottasch, S.R., Parthasarathy, M.	18
The light curves of soft X-ray transients	
Hameury, J.M., King, A.R., Lasota, J.P.	
Stellar atmospheres	
Lithium abundances in metal-deficient dwarfs Rebolo, R., Molaro, P., Beckman, J.E.	
The Balmer emission profiles in Mira stars Gillet, D.	7
Circumstellar absorption of UV and radio emission fre supernovae	
Lundqvist, P., Fransson, C.	
Far-ultraviolet and X-ray emission of the long period CVn star σ Geminorum	
Engvold, O., Ayres, T.R., Elgarøy, Ø., Jensen, E., Jorås, P.B., Kjeldseth-Moe, O., Linsky, J.L.,	
Schnopper, H.W., Westergaard, N.J.	
Stark broadening of visible SiII lines in stellar spheres	
Lanz, T., Dimitrijević, M.S., Artru, MC.	
Calcium line emission from Be stars Apparao, K.M.V., Tarafdar, S.P.	
Polarimetric observations of the RV Tauri star /	
Raveendran, A.V., Kameswara Rao, N.	
A non-LTE abundance determination of Mg	
Vega Gigas, D.	
(RN) Large photometric variations of II Peg i 1986: implications for the starspot hypothesis Doyle, J.G., Butler, C.J., Morrison, L.V.,	
(RN) Collisional-radiative switching: a power for converging non-LTE calculations Hummer, D.G., Voels, S.A.	
(RN) An active hemisphere on II Peg Doyle, J.G.	
(RN) IRAS excess radiation in Be stars a of the Ca II triplet	

Jaschek, C., Andrillat, Y., Jaschek, M.

I a second secon

1,50

- At 14

85 ---


7

and the same of th

100 m

100

-- *





Kellermann, K.I.: Structurpuble radio galaxy 3C 390.3

Double mode pulsating stars

al. 192, 285

?: Calcium line emission from

The ratio between the mass of in spiral galaxies and limits on

al. 192, 249 et al. 192, 234

ner, K.G., et al. 192, 135

esch, M.D.: The solar wind control lometric radio emission 192, 354

2, 00

ıl. 192, 19

, R., et al. 192, 192

Rossi, S.C.F. 192, 379

. 192, 1

E., Lundberg, H., Persson, A.: Transi-JdII and a new determination of the folinium 192, 335

on, L. 192, 81

perties of supernova remnants at known content 192, 299

M., Galletta, G., Rampazzo, R.: Minoreven elliptical galaxies 192, 24

onstraints provided by star cluster spectra
e UV turn-up in giant elliptical galaxies

ström, H., et al. 192, 335 Lesch, H., et al. 192, 19

1, J.: The BL Lac object PKS 0215+015 riable emission lines at $z_e = 1.72$ and no dust resystem at $z_a = 1.345$ 192, 1

e Strassmeier, K.G., et al. 192, 135

Keenan, F.P., et al. 192, 295

as, M.: Accretion disk coronae and the contrilar-momentum transport in the disk 192, 165 Doyle, J.G., et al. 192, 275

io-Tagle, G., Różyczka, M.: The formation of s by the convergence of supersonic conical flows

see Bertola, F., et al. 192, 24

Caroubalos, C., see Poquérusse, M., et al. 192, 323

Carpino, M., see Knežević, Z., et al. 192, 360

Casoli, F., Combes, F., Dupraz, C., Gerin, M., Encrenaz, P., Salez, M.: Cold CO in Mergers: ¹²CO(1-0) and ¹²CO(2-1) mapping of NGC 2623 and ARP 220 192, L17

Celnik, W.E., Weiland, H.: Hα-observations of the H_{II}-region (S27) around ζ-Ophiuchi 192, 316

Chambliss, C.R., see Strassmeier, K.G., et al. 192, 135

Chini, R., Steppe, H., Kreysa, E., Krichbaum, Th., Quirrenbach, A., Schalinski, C., Witzel, A.: 3 and 1.3 mm-observations of a complete sample of active galactic nuclei 192, L1

Chlewicki, G., see Laureijs, R.J., et al. 192, L13

Clark, F.O., see Laureijs, R.J., et al. 192, L13

Combes, F., see Casoli, F., et al. 192, L17

Conlon, E.S., see Keenan, F.P., et al. 192, 295

Davies, J.I., Disney, M.J., Phillipps, S.: Prediction of absorption line statistics for a network of quasars behind the Virgo clus-

de Korte, P.A.J., see Kaastra, J.S. 192, 77

Demaison, J., see Wlodarczak, G. 192, 313

Desch, M.D., see Barrow, C.H., et al. 192, 354

Dimitrijević, M.S., see Lanz, T., et al. 192, 249

Disney, M.J., see Davies, J.I., et al. 192, 90

Doom, C.: The mass-loss rates of Wolf-Rayet stars 192, 170

Doyle, J.G.: An active hemisphere on II Peg 192, 281

Doyle, J.G., Butler, C.J., Morrison, L.V., Gibbs, P.: Large photometric variations of II Peg in Sept/Nov 1986: implications for the starspot hypothesis 192, 275

Dufton, P.L., see Keenan, F.P., et al. 192, 295

Dulk, G.A., see Poquérusse, M., et al. 192, 323

Dupraz, C., see Casoli, F., et al. 192, L17

Eaton, J.A., see Strassmeier, K.G., et al. 192, 135

Edwin, P.M., Roberts, B.: Employing analogies for ducted MHD waves in dense coronal structures 192, 343

Egret, D., see Jaschek, C., et al. 192, 285

El Eid, M.F., see Langer, N., et al. 192, 177

Elgarøy, Ø., see Engvold, O., et al. 192, 234

Encrenaz, P., see Casoli, F., et al. 192, L17

Engelbrektson, S., see Strassmeier, K.G., et al. 192, 135

Engvold, O., Ayres, T.R., Elgarøy, Ø., Jensen E., Jorås, P.B., Kjeldseth-Moe, O., Linsky, J.L., Schnopper, H.W., Westergaard. N.J.: Far-ultraviolet and X-ray emission of the long period RS CVs star of Geminorum, 192, 234

period RS CVn star σ Geminorum 192, 234 Farinella, P., see Knežević, Z., et al. 192, 360

Fernandes, M., see Strassmeier, K.G., et al. 192, 135

Fortier, G., see Strassmeier, K.G., et al. 192, 135

Fransson, C., see Lundqvist, P. 192, 221

Giuricin, G., Mar.
uum emission of Virgo spua

- X

Giuricin, G., Mardirossian, F., Mezzetti, M., Plan, A., Rall la, M.: Morphological segregation between spiral members of groups of galaxies 192, 95

Gonczi, R., see Knežević, Z., et al. 192, 360

Gopal-Krishna: An investigation of the redshift-dependence of the radio spectral index among powerful double radio sources 192, 37

Götz, M.M.A., see Alef, W., et al. 192, 53

Gräve, R., Beck, R.: The axisymmetric spiral magnetic field in the galaxy IC 342 192, 66

Grim, B.S., see Strassmeier, K.G., et al. 192, 135

Guinot, B.: Atomic time scales for pulsar studies and other demanding applications 192, 370

Hall, D.S., see Strassmeier, K.G., et al. 192, 135

Hameury, J.M., King, A.R., Lasota, J.P.: The light curves of soft X-ray transients 192, 187

Hummer, D.G., Voels, S.A.: Collisional-radiative switching: a powerful technique for converging non-LTE calculations 192,

Jaschek, C., Andrillat, Y., Jaschek, M., Egret, D.: IRAS excess radiation in Be stars and the behavior of the Call triplet 192, 285

Jaschek, M., see Jaschek, C., et al. 192, 285

Jensen, E., see Engvold, O., et al. 192, 234

Jiménez, A., Pallé, P.L., Péréz Hernández, F., Régulo, C., Roca-Cortés, T.: The observed background solar velocity noise

Johansson, L., Bergvall, N.: The active centre of the galaxy merger ESO 148-IG02. II 192, 81

Joly, M.: Contribution of Fe II to the asymmetry of H β in active galactic nuclei 192, 87

Jorås, P.B., see Engvold, O., et al. 192, 234 Jovanović, B., see Knežević, Z., et al. 192, 360

Kaastra, J.S., de Korte, P.A.J.: SC 2059-247: no evidence for cluster evolution or extreme X-ray properties 192, 77

Kameswara Rao, N., see Raveendran, A.V. 192, 259

Keenan, F.P., Conlon, E.S., Brown, P.J.F., Dufton, P.L.: Interstellar Ca II absorption towards early-type stars at high galactic latitudes 192, 295

Kellermann, K.I., see Alef, W., et al. 192, 53

King, A.R., see Hameury, J.M., et al. 192, 187

Kiriakidis, M., see Langer, N., et al. 192, 177

Kjeldseth-Moe, O., see Engvold, O., et al. 192, 234

Knee, L.B.G., see Liseau, R., et al. 192, 153

Knežević, Z., Carpino, M., Farinella, P., Froeschlé, Ch., Froeschlé, Cl., Gonczi, R., Jovanović, B., Paolicchi, P., Zappalà, V.: Asteroid short-periodic perturbations and the accuracy of mean orbital elements 192, 360

Krause, M., see Lesch, H., et al. 192, 19

brightness ratio in interstellar clo

Leblanc, Y., see Barrow, C.H., et al. 192, 354

Lesch, H., Sawa, T., Krause, M., Beck, R., Fujimoto, M., Biermann, P.L.: Physical conditions in spiral galaxies supporting strong dynamo action 192, 19

Lewin, W.H.G., see van Paradijs, J., et al. 192, 147

Linsky, J.L., see Engvold, O., et al. 192, 234

Liseau, R., Sandell, G., Knee, L.B.G.: The structure of the molecular outflow near SSV 13 and HH 7-11 in the NGC 1333 region 192, 153

Louth, H., see Strassmeier, K.G., et al. 192, 135

Lundberg, H., see Bergström, H., et al. 192, 335

Lundqvist, P., Fransson, C.: Circumstellar absorption of UV and radio emission from supernovae 192, 221

MacQueen, R.M., see Poquérusse, M., et al. 192, 323

Mardirossian, F., see Giuricin, G., et al. 192, 29

Mardirossian, F., see Giuricin, G., et al. 192, 95

Meyer-Vernet, N.: Power loss of a conductor moving through a warm plasma: electron plasma wave contribution 192, 348

Mezzetti, M., see Giuricin, G., et al. 192, 29 Mezzetti, M., see Giuricin, G., et al. 192, 95

Miles R, see Strassmeier, K.G., et al. 192, 135

Molaro, P., see Rebolo, R., et al. 192, 192

Moorwood, A.F.M., see Rodríguez Espinosa, J.M., et al. 192, 13

Morrison, L.V., see Doyle, J.G., et al. 192, 275

Nielsen, P., see Strassmeier, K.G., et al. 192, 135

Nussbaumer, H., Schmid, H.M.: Discovery of a 9.5-year period in the symbiotic star V 1016 Cyg 192, L10

Oort, M.J.A.: 6-cm observations of LBDS radio sources. Radio properties of blue radio galaxies 192, 42

Padovani, P.: Ionizing photon densities in the broad line regions of active galactic nuclei 192, 9

Pallé, P.L., see Jiménez, A., et al. 192, L7

Paolicchi, P., see Knežević, Z., et al. 192, 360 Parthasarathy, M., see Pottasch, S.R. 192, 182

Penninx, W., see van Paradijs, J., et al. 192, 147

Péréz Hernández, F., see Jiménez, A., et al. 192, L7

Persson, A., see Bergström, H., et al. 192, 335

Petersen, J.O., see Andreasen, G.K. 192, L4

Phillipps, S., see Davies, J.I., et al. 192, 90

Pisani, A., see Giuricin, G., et al. 192, 95

Poquérusse, M., Steinberg, J.L., Caroubalos, C., Dulk, G.A., MacQueen, R.M.: Measurement of the 3-dimensional positions of type III bursts in the solar corona 192, 323

S.R., Parthasarathy, M.: The far-infrared (IRAS) exuminous F-G stars 192, 182

.E., see Strassmeier, K.G., et al. 192, 135

., see Alef, W., et al. 192, 53

pach, A., see Chini, R., et al. 192, L1

, M., see Giuricin, G., et al. 192, 95 a.zo, R., see Bertola, F., et al. 192, 24

dran, A.V., Kameswara Rao, N.: Polarimetric observas of the RV Tauri star AR Puppis 192, 259

o, R., Molaro, P., Beckman, J.E.: Lithium abundances netal-deficient dwarfs 192, 192

lo, C., see Jiménez, A., et al. 192, L7

enweber, R.C., see Strassmeier, K.G., et al. 192, 135

ner, T.R., see Strassmeier, K.G., et al. 192, 135

nter, O.-G., see Rosa, M. 192, 57

perts, B., see Edwin, P.M. 192, 343

a Cortés, T., see Jiménez, A., et al. 192, L7

Adriguez Espinosa, J.M., Stanga, R.M., Moorwood, A.F.M.: Near-infrared photometry of high redshift quasars 192, 13 DSA, M., Richter, O.-G.: On the progenitors of type II supernovae in M 83 192, 57

Rossi, S.C.F., Benevides-Soares, P.: Quasi-static solution of early homogeneous nucleation phases 192, 379

Różyczka, M., see Cantó, J., et al. 192, 287

Ruffini, R., see Arbolino, M.V. 192, 107

Salez, M., see Casoli, F., et al. 192, L17

Sandell, G., see Liseau, R., et al. 192, L17

Sawa, T., see Lesch, H., et al. 192, 19

Schalinski, C., see Chini, R., et al. 192, L1

Schmid, H.M., see Nussbaumer, H. 192, L10

Schnopper, H.W., see Engvold, O., et al. 192, 234

Schüssler, M., Solanki, S.K.: Continuum intensity of magnetic flux concentrations: Are magnetic elements bright points?

Slauson, D.M., see Strassmeier, K.G., et al. 192, 135

Solanki, S.K., see Schüssler, M. 192, 338

Stanga, R.M., see Rodríguez Espinosa, J.M., et al. 192, 13

Steinberg, J.L., see Poquérusse, M., et al. 192, 323

Stelzer, H.J., see Strassmeier, K.G., et al. 192, 135

Steppe, H., see Chini, R., et al. 192, L1

Strassmeier, K.G., Hall, D.S., Eaton, J.A., Landis, H.J., Barksdale, W.S., Reisenweber, R.C., Powell, B.E., Fernandes, M., Zeigler, K.W., Renner, T.R., Wasson, R., Nielsen, P., Louth, H., Chambliss, C.R., Fortier, G., Grim, B.S., Turner, L.C., Stelzer, H.J., Slauson, D.M., Fried, R.E., Brettman, O.H., Engelbrektson, S., Krisciunas, K., Miles R: Starspot modeling of ten years of photometry of the long-period RS CVn binary σ Geminorum 192, 135

Sztajno, M., see van Paradijs, J., et al. 192, 147

Tarafdar, S.P., see Apparao, K.M.V. 192, 255

Tenorio-Tagle, G., see Cantó, J., et al. 192, 287

Truemper, J., see van Paradijs, J., et al. 192, 147

Turner, L.C., see Strassmeier, K.G., et al. 192, 135 van der Kruit, P.C.: The three-dimensional distribution of light

and mass in disks of spiral galaxies 192, 117
van Paradiis, J., Penninx, W., Lewin, W.H.G., Sztaino, M.,

van Paradijs, J., Penninx, W., Lewin, W.H.G., Sztajno, M., Truemper, J.: The recurrence behaviour of X-ray bursts from 4U/MXB 1735-44 192, 147

Voels, S.A., see Hummer, D.G. 192, 279

Voikhanskaya, N.F.: MV Lyrae at minimum light 192, 128

Wasson, R., see Strassmeier, K.G., et al. 192, 135

Weiland, H., see Celnik, W.E. 192, 316

Weiss, A., see Langer, N., et al. 192, 177

Westergaard, N.J., see Engvold, O., et al. 192, 234

Witzel, A., see Chini, R., et al. 192, L1

Wlodarczak, G., Demaison, J.: Acetic acid, CH₃COOH: astrophysical predictions 192, 313

Zappalà, V., see Knežević, Z., et al. 192, 360

Zeigler, K.W., see Strassmeier, K.G., et al. 192, 135,